

Aboriginal people(s) – 13.232, 13.236, 13.244

Acute myocardial infarction (AMI) – 2.23; 3.74; 5.96, 5.98–5.99, 5.101–5.104, 5.124–5.125, 5.128; 13.236, 13.239, 13.247

Alternate Funding Plan (AFP) – 2.34; 10.199; 14.266

Alternative Funding Program (AFP) – 6.135; 11.211

Ambulatory Care Groups (ACG) – 2.22

Angiotensin converting enzyme inhibitors (ACEI) – 3.52–3.53, 3.55, 3.57–3.58, 3.61, 3.66–3.67, 3.70–3.72, 3.74

Angina – 5.96, 5.99, 5.104, 5.106–5.107, 5.124, 5.128

Angiography (see coronary angiography) – 5.97, 5.101, 5.112–5.113, 5.115–5.117, 5.119, 5.128

Anti-hyperglycemic medications – 3.52–3.60, 3.71–3.72

Antihypertensive drugs – 3.52, 3.54–3.58, 3.61, 3.64–3.65, 3.70; 5.124; 7.163

Arterial Bypass Surgery (ABS) – 6.130, 6.142, 6.149

Beta-blockers (or beta-adrenergic receptor blocking agents) – 3.56, 3.72–3.73

Body Mass Index (BMI) – 4.79, 4.86

Canadian Organ Replacement Registry (CORR) – 8.166, 8.180

Cardiovascular disease – 3.52, 3.58, 3.75; 5.96, 5.124; 6.148; 8.166–8.167; 14.267

Carotid endarterectomy – 7.152, 7.154–7.155, 7.161–7.163

Cataracts – 10.194, 10.203, 10.205

Cesarean Section (C-section) – 11.210, 11.213–11.215

Charlson Comorbidity Index (also referred to as Charlson-Deyo score) – 6.133, 6.141

Canadian Organ Replacement Registry (CORR) – 8.166, 8.180

Complex continuing care – 7.152–7.153, 7.160, 7.162–7.163

Congenital anomalies/ malformations – 11.201, 11.215, 11.217

Congestive heart failure (CHF) – 5.96, 5.99, 5.118, 5.128; 13.236, 13.239, 13.247

Coronary angiography – 5.97, 5.101, 5.112–5.113, 5.115–5.117, 5.119, 5.128

Coronary artery bypass graft (CABG) surgery – 5.97, 5.113–5.114, 5.119, 5.122–5.123, 5.128; 13.240

Coronary artery disease (CAD) (also ischemic heart disease) – 5.124; 14.253

Coronary revascularization – 5.125

Corporate Provider Database – 14.250, 14.254–14.255, 14.257, 14.265, 14.268

Diabetes Education Centres (DECs) – 14.253, 14.258, 14.262, 14.265

Diabetes educators – 14.250

Diabetic ketoacidosis (DKA) – 2.20, 2.44; 12.220, 12.299; 14.263

Diabetic retinopathy – 10.194, 10.196–10.197, 10.199, 10.205, 10.207; 14.262–14.263

Dialysis (also renal or kidney dialysis) – 8.166–8.177, 8.179; 14.262

End Stage Renal Disease (ESRD) – 8.166

Endocrinologists – 9.182, 9.190; 11.210, 11.214–11.216; 14.250–14.251, 14.253, 14.256, 14.258–14.259, 14.266

Ethnic origin – 4.79–4.81, 4.84, 4.86, 4.90

Family doctors (also General Practitioners/Family Practitioners [GP/FPs]) – 14.250

Family physicians – 9.182, 9.183, 9.185, 9.187–9.188, 9.190–9.191; 14.250, 14.262

Fee-for-service claims – 1.4

Femoropopliteal bypass – 6.138, 6.141

Fetal distress – 11.213

First Nations – 13.232–13.235, 13.238–13.242, 13.245–13.246

Full-time equivalents (FTEs) – 14.253, 14.266

Gestational Diabetes (GD) exclusion – 1.3

Gestational Diabetes – 1.12, 1.15; 2.21; 3.53

Glaucoma – 10.194, 10.205

Glycated Hemoglobin (HbA1c) – 5.96

Health-adjusted life expectancy (HALE) – 4.80, 4.82–4.84, 4.90

Health-related Quality of Life (HRQOL) – 4.78, 4.80, 4.84–4.85, 4.90, 4.94

- H**
- Heart Failure** – 5.96, 5.99, 5.118, 5.128; 8.174–8.175
 - Health Human Resources** – 14.250, 14.263
 - Health Planning Regions** – 2.42–2.43, 2.45, 2.48–2.49
 - Health Utilities Index 3 (HUI3)** – 4.80, 4.90
 - Hemodialysis** – 8.166, 8.169, 8.171, 8.174, 8.176
 - Home hemodialysis** – 8.171, 8.177
 - Home peritoneal dialysis** – 8.171, 8.176
- H**
- Hyperosmolar nonketotic coma (HNKS)** – 2.20
 - Hyperlipidemia** – 6.130; 7.163
- H**
- Hypertension** – 3.57–3.58, 3.71, 3.74–3.75; 4.87; 5.96, 5.124; 6.130; 7.155, 7.163; 8.177; 10.194, 10.199; 11.210, 11.212–11.213, 11.215; 13.237; 14.253, 14.263
 - Hyperglycemia** – 2.20–2.31, 2.34, 2.47; 3.58, 3.71; 13.236, 13.237
 - Hypoglycemia** – 2.20–2.26, 2.35–2.38, 2.47; 3.52, 3.58, 3.71; 12.220; 13.236, 13.237
- I**
- Incidence** – 1.2, 1.3–1.4, 1.12–1.14, 1.18; 3.74–3.75; 4.87–4.89; 5.96; 6.135, 6.148; 7.152, 7.162–7.163; 8.167, 8.169–8.171, 8.174, 8.177; 9.182; 10.195–10.197, 10.199, 10.201, 10.205; 11.210–11.215, 11.217; 12.220–12.225, 12.227–12.229; 13.233, 13.235–13.237, 13.244
 - Indian reserves** – 13.235, 13.244
 - Indian Settlements** – 13.235
 - Indirect Standardization** – 11.211
 - Induction of labour** – 11.213
 - Infections** – 2.20–2.23, 2.25, 2.39–2.41, 2.47; 6.130, 6.135, 6.138, 6.148; 13.241; 14.267
 - Insulin** – 1.14, 1.16; 2.20, 2.44, 2.47; 3.52–3.58, 3.71–3.72, 3.74–3.75; 4.89; 5.96, 5.124; 7.163; 9.191; 10.205; 11.217; 12.220, 12.229; 13.244; 14.262–14.263
 - Intermittent claudication** – 6.130, 6.148
 - Internists** – 9.182, 9.190; 11.210, 11.214–11.216; 14.256, 14.258–14.259
- I**
- Ischemic heart disease (IHD) (see coronary artery disease)** – 5.128
 - Laser photocoagulation** – 10.194, 10.197
 - Lipid-lowering medications** – 3.53, 3.58, 3.70
 - Lower extremity amputation** – 6.131, 6.133, 6.138, 6.141, 6.148; 13.236, 13.241, 13.247
- M**
- Macrosomia** – 11.210
 - Macrovascular disease** – 6.130
 - Macular edema** – 10.194, 10.202, 10.205
 - Major amputations** – 6.130–6.132, 6.135
 - measures of health status** – 4.85, 4.94
 - microvascular disease** – 6.130
 - Minor amputations** – 6.131–6.132, 6.135, 6.138, 6.148
- M**
- Myocardial Infarction** – 2.23; 3.56, 3.74–3.75; 5.96, 5.98–5.99, 5.101–5.105, 5.124–5.125, 5.128; 7.162; 8.171, 8.174–8.175; 13.235–13.236, 13.239, 13.247; 14.262
- N**
- National Diabetes Surveillance System (NDSS)** – 1.2
 - National Population Health Survey (NPHS)** – 4.78, 4.89
 - Neovascularization** – 10.194
 - Nephropathy** – 8.166, 8.174, 8.177
 - Non-proliferative diabetic retinopathy** – 10.194, 10.207
 - Nurse practitioners** – 13.236
 - Obesity** – 4.79–4.80, 4.83–4.84, 4.86–4.89; 5.124; 13.232, 13.235, 13.241, 13.244
 - Obstructed Labor** – 11.212
- O**
- Ontario Diabetes Database (ODD)** – 1.4–1.8, 1.10–1.11, 1.15; 2.21–2.22, 2.26–2.43; 3.53–3.55, 3.59–3.70; 4.78, 4.81–4.83, 4.85–4.87; 5.97–5.98, 5.100–5.123, 5.127; 6.131–6.134, 6.136–6.137, 6.139–6.147; 7.153, 7.152, 7.154, 7.156–7.162; 8.167–8.170, 8.172–8.173, 8.175–8.176; 9.182–9.184, 9.186, 9.188–9.190; 10.195–10.204; 11.211–11.214, 11.216; 12.220–12.224, 12.226–12.228; 13.233–13.235, 13.238–13.242; 14.253, 14.258, 14.260–14.261, 14.265
 - Ontario Health Survey (OHS II)** – 4.78, 4.81–4.83, 4.85–4.87, 4.90
 - Ontario Physician Human Resource Data Centre (OPHRDC)** – 14.253–14.255, 14.258, 14.265
 - Ophthalmologists** – 10.197, 10.201; 11.215–11.216, 14.255, 14.257–14.259, 14.262
 - Optometrists** – 10.197, 10.199; 11.215–11.216, 14.250, 14.253–14.259, 14.262, 14.266, 14.268
 - Overall life expectancy** – 4.83

Percutaneous coronary intervention (PCI) (also call coronary angioplasty or angioplasty) – 5.97, 5.112, 5.114, 5.118–5.121, 5.128; 13.236

Percutaneous Transluminal Angioplasty (PTA) – 6.130, 6.149

Peripheral vascular disease (PVD) – 6.130, 6.133, 6.138

Perinatal mortality – 11.210, 11.215, 11.217

Peritoneal dialysis – 8.166, 8.171, 8.174, 8.176–8.177

Preconception care – 11.217

Preeclampsia – 11.210, 11.212, 11.213, 11.215

Prevalence – 1.2–1.5, 1.6–1.9, 1.12–1.14, 1.18; 2.44, 2.46; 3.56, 3.61–3.69, 3.74; 4.78–4.80, 4.83–4.89; 5.96, 5.101, 5.124–5.125; 6.130, 6.135, 6.138; 7.152, 7.155, 7.163; 8.168–8.171, 8.174, 8.177; 9.182; 10.194, 10.197, 10.205; 12.221–12.223, 12.225, 12.227–12.229; 13.232–13.233, 13.235, 13.237, 13.241, 13.243–13.244; 14.250, 14.262

Proliferative diabetic retinopathy – 10.205

Regional dialysis centres – 8.167

Retinal screening examinations – 10.194, 10.204

Retinopathy – 10.194, 10.196–10.197, 10.205, 10.207; 14.259, 14.262–14.263

Revascularization – 5.124–5.125

Risk factors – 1.14; 2.22, 2.44; 3.52, 3.56, 3.58, 3.61, 3.74; 4.79–4.80, 4.83–4.84, 4.86–4.88, 4.90; 5.96–5.97, 5.99, 5.101, 5.124; 6.130, 6.133, 6.135, 6.138, 6.148; 7.152, 7.154–7.155, 7.163; 8.166; 10.199, 10.205; 12.229; 13.232, 13.237, 13.241, 13.244

Satellite centres – 8.166

Shadow Billing – 2.23; 14.253, 14.266

Skin and soft tissue infections – 2.23, 2.25, 2.39

Socioeconomic status – 1.4–1.5; 2.20–2.21, 2.25; 5.97, 5.99, 5.101, 5.104, 5.125; 6.133; 7.152–7.155, 7.162; 9.182, 9.187, 9.191; 10.197, 10.199, 10.202, 10.205

Small Area Rate Variation (SARV) statistics definition – 2.23, 2.34, 2.45

Spontaneous Abortion – 11.217

St. Vincent Declaration – 11.211

Statins – 3.53

Stillbirth – 11.212–11.213, 11.215

Stroke – 7.152–7.163; 13.236–13.237, 13.240–13.241, 13.247

Therapeutic abortion – 11.211

Tuberculosis – 2.42, 2.43

Unstable Angina (UA) – 5.96, 5.99, 5.104–5.107, 5.124, 5.128; 13.236–13.238, 13.247

Usual Provider Continuity (UPC) Index – 9.185

Vaginal delivery – 11.215

Vital Statistics – 4.78, 4.94

Vitrectomy – 10.197, 10.199, 10.201–10.203, 10.207

Workload (health professionals) – 14.250, 14.253, 14.258, 14.262, 14.266

